ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 611 (2000) 597

Journal of Organometallic Chemistry

Author Index of Volume 611

Abe, M., 386
Akasaka, T., 78, 414
Akiba, K.-y., 200
Arakawa, R., 364
Aramaki, K., 64

Biswas, B., 288
Bu, H.-B., 26

Dohmaru, T., 45

Endo, T., 570
Enokido, T., 433

Fugami, K., 433
Fujihara, H., 566
Fujii, T., 272
Fujimori, T., 272
Fujita, M., 455
Fujitsuka, M., 414
Fujiue, N., 45
Fujiwara, Y., 509
Fukaya, N., 228
Fukuhara, Y., 26
Fukuoka, H., 543, 547
Furukawa, N., 116
Furukawa, S., 36
Furuta, H., 551
Futako, W., 525

Goto, K., 146
Goto, M., 146, 577

Hada, Y., 488
Hagisawa, S., 449
Hagiwara, S., 433
Hamada, Y., 78
Hamasaki, A., 577
Hanna, J.-i., 531
Hara, R., 299
Harima, Y., 537
Hayashi, S., 178
Higuchi, T., 586
Hiratsuka, H., 71
Hirobe, M., 586
Hirunuma, Y., 433
Hiyama, T., 12
Honda, E., 455
Horiuchi, H., 71
Horn, E., 414

Ichinohe, M., 228
Iimori, H., 172
Imae, I., 20
Imoto, H., 547
Inoue, H., 40, 593

Ishifune, M., 26
Ishiguro, A., 558
Ishii, A., 127
Ishikawa, M., 248, 280
Ishiyama, T., 392
Isobe, K., 386
Ito, O., 414
Ito, T., 308
Ito, Y., 403
Iwama, T., 455
Iwamoto, T., 236
Iwamura, T., 455
Iwaoka, M., 164
Iwase, K., 488

Jin, Y.-N., 127

Kajitani, M., 376
Kakimoto, M., 537
Kako, M., 78, 85, 414, 420
Kameyama, M., 433
Kamigata, N., 106
Kamiya, T., 525
Kanemitsu, Y., 40
Kang, S.-Y., 280
Kashimura, S., 26
Kataoka, T., 455
Kato, S., 190
Kato, T., 26
Kawabata, K., 32
Kawaguchi, A., 136
Kawai, Y., 136
Kawakami, Y., 20
Kawano, H., 370
Kawashima, T., 256
Kawata, K., 433
Kikuchi, K., 586
Kikuchi, T., 136
Kimura, T., 136
Kinoshita, H., 455
Kinoshita, I., 386
Kira, M., 236
Kitamura, T., 509
Kitaoka, N., 190
Kobayashi, K., 116, 264, 414
Kogai, Y., 26
Komatsu, H., 164
Komoriya, H., 420
Kondo, T., 78
Kosugi, M., 433
Koyama, D., 433
Kunai, A., 537
Kunimi, Y., 64
Kunugi, Y., 537
Kuroda, S., 304
Kurosaki, H., 577
Kyushin, S., 52

Lee, J.-C., 570
Lee, V.Y., 228

Maeda, Y., 414
Makabe, I., 100
Makino, O., 514
Makioka, Y., 509
Ma, R., 445
Matano, Y., 89
Matsubara, T., 12
Matsubayashi, G.-e., 364
Matsukawa, K., 40
Matsumoto, H., 52
Matsumoto, K., 514
Matsushige, K., 85
Mifune, H., 190
Mikata, Y., 100
Mimura, S., 40
Minato, M., 308
Mishiba, Y., 433
Miyake, Y., 475
Miyaura, N., 392
Miyoshi, S., 272
Mochida, K., 420
Moriguchi, H., 445
Mori, M., 304
Morino, A., 551
Morita, H., 272
Murafuji, T., 100
Murai, Y., 26
Murase, H., 26
Murotani, S., 272
Musashi, Y., 288

Nagano, T., 586
Nagao, Y., 172
Nagase, S., 264, 414
Naito, H., 40
Naka, A., 248, 280
Nakabayashi, M., 127
Nakadaira, Y., 78, 85, 414, 420
Nakai, H., 566
Nakajo, S., 136
Nakamura, K., 514
Nakanishi, S., 45
Nakanishi, W., 178
Nakano, M., 364
Nakayama, J., 127
Nakazawa, H., 349
Naris, 71
Nemoto, H., 445
Niizuma, S., 136
Nishida, K., 64
Nishida, M., 593
Nishida, R., 26
Nishijima, H., 172
Nishimoto, E., 370

PII: S0022-328X(00)00638-0

Nishio, K., 100
Nishioka, T., 386
Nishiyama, K., 71
Nishiyama, Y., 488
Nomura, H., 89
Nomura, M., 376

Oba, M., 71
Obora, Y., 343
Ochiai, M., 494
Oda, M., 475
Ogawa, A., 463
Ogawa, S., 136
Ogawa, T., 551
Ogino, H., 314
Ohe, K., 475
Ohkubo, M., 272
Ohmiya, T., 136
Ohmori, Y., 403
Ohshita, J., 537
Ohyama, N., 136
Oka, K., 45
Okamura, M., 78, 414
Okazaki, M., 314
Okazaki, R., 146
Omote, M., 20
Onishi, M., 370
Ono, S., 272
Ono, T., 308
Osakada, K., 323
Otsuka, M., 577
Oyamada, A., 475
Ozawa, F., 332

Sai, A., 136
Saiki, T., 146
Saito, K., 364
Saito, S., 136
Saito, T., 547
Sakaki, S., 288
Sakurai, H., 32
Sanji, T., 32
Sano, S., 172
Sasaki, Y., 370
Sato, R., 136, 414
Sato, S., 116
Sato, T., 314
Sato, Y., 304
Sekiguchi, A., 228
Seki, S., 64
Shibuya, M., 445
Shimada, K., 308
Shimizu, I., 525
Shimizu, K., 376, 531
Shimizu, M., 12
Shimizu, T., 106
Shimizu, Y., 20
Shimomura, H., 386
Shirakawa, E., 20
Shiro, M., 172
Sokolov, M., 370
Sonoda, N., 488
Sugawara, T., 525
Sugihara, Y., 100
Sugimori, A., 376
Sugimori, M., 547
Sugimoto, M., 288
Suginome, M., 403
Sugiyama, T., 376
Sumi, K., 449
Suzuki, H., 89
Suzuki, I., 445
Suzuki, T., 78

Tachibana, A., 514
Tada, H., 85
Tagawa, S., 64
Takada, H., 475
Takagi, N., 264
Takahashi, K., 593
Takahashi, M., 551, 558
Takahashi, T., 299
Takata, A., 537
Takata, T., 45
Takayama, C., 376
Takeda, K., 449
Takeda, M., 558
Tamao, K., 5
Tamura, M., 586
Tanaka, M., 71
Tanaka, R., 52
Tani, K., 190
Tobita, H., 314
Tojo, T., 85
Tokita, T., 20
Tokitoh, N., 146, 217
Tomita, I., 570
Tomoda, S., 164
Tsuji, Y., 343
Tsujiyama, S., 455
Tsurukami, Y., 455

Uemura, S., 475
Ueno, K., 543
Umakoshi, K., 370
Uneyama, K., 158
Unno, M., 52
Uno, H., 551
Urano, Y., 586
Ura, Y., 299
Ushirogochi, H., 172

Wakahara, T., 78, 414
Watanabe, S.-i., 455
West, R., 45

Yagisawa, T., 376
Yamabe, T., 12, 280
Yamada, K., 190
Yamaguchi, S., 5
Yamaguchi, Y., 308
Yamamoto, Y., 200
Yamanaka, S., 543
Yamashita, K., 537
Yamashita, N., 26
Yano, S., 100
Yokoyama, Y., 376
Yonamine, T., 364
Yoshifuji, M., 210
Yoshimura, T., 272
Yoshinaga, T., 71
Yoshizawa, K., 280

ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 611 (2000) 599–609

Journal of Organometallic Chemistry

Subject Index of Volume 611

Ab initio calculation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Ab initio MO calculations
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
Absorption spectrum
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
Acetylenes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
Acrylic acid thioester
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455
Active catalyst species
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
Acyl cyanides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Acylpolysilane
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, 248
Addition
Stable cyclic and acyclic persilyldisilenes, 236
Affinity
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates [(RCSS)$_x$MPh$_{4-x}$, M = Ge, Sn, Pb; x = 1–3]: affinity between thiocarbonyl sulfur and Group 14 elements, 190
Alkenes
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
Allene
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Allylation
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
Allylic alcohol
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455
η^3-Allyl reductive elimination
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Amino acids and peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Anionic polymerization
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
Antimony
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
Antimony-transition metal bond
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
Areneselenenyl bromide
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
Areneselenenyl chloride
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
Aromaticity
Stable aromatic compounds containing heavier Group 14 elements, 228
Arsenic
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
Arylation
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
a-Si:H
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
Asymmetric imidation
Asymmetric imidation of organic selenides into selenimides, 475
Asymmetric synthesis
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Avalanche multiplication
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525

π-Back donation
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Band gap tuning
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
Barium
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
Baylis–Hillman reaction
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455

PII: S0022-328X(00)00639-2

B–C bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Benzeneselenenyl fluoride
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Benzo-1,2-germacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
B–Ge bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
B_{12}-Icosahedron
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, 547
Bicyclo[2.2.2]octanes
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
Bis(arylselanyl)benzene
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
Bismuth
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Bismuthonium ylides
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
Bis-silylation
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Bis(silyl)bis(phosphine)platinum
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
Bis(stannyl)bis(phosphine)palladium
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
Bis(stannyl)bis(phosphine)platinum
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
σ-Bond activation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
σ-Bond metathesis
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
2-Boryl(π-allyl)palladium complex
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
2-Borylallylsilane
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Bridging ligand
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
B–Si bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
B–Sn bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
C_{60}
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Cage compounds
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
Calix[6]arenes
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
Carbon–carbon unsaturated bond
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Carbonylation
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Catalytic mechanism
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
Cationic phosphenium complexes
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Chelate
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
Chemical annealing
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
Chiral crystallization
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Chiral ferrocenyl group
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Chloramine-T trihydrate
Asymmetric imidation of organic selenides into selenimides, 475
Chlorosilane
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Cobaltacyclopentadiene
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Cobaltadithiolene
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
Cobaltathiaziridine
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
Cobalticinium
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Conducting polymer
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], 537

Configuration
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Conformational analysis
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
σ-Conjugation
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
σ*–π* Conjugation
New type of polysilanes: poly(1,1-silole)s, 5
Copper catalyst
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
Copper complex
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
σ-Coupling
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
Coupling reactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Cross-coupling
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Crystal growth
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, 531
C_{60}-Sensitization
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
C–Si bond formation
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
Cyclic voltammetry
Stable cyclic and acyclic persilyldisilenes, 236
Cyclotetrasilene
Stable cyclic and acyclic persilyldisilenes, 236
Cyclotrigermenium cation
Stable aromatic compounds containing heavier Group 14 elements, 228
Cyclotrisilene
Stable cyclic and acyclic persilyldisilenes, 236

Density functional theory
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
Dewar-type
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
α,α-D-fluoro-γ-lactam
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Diaryliodonium salt
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
Dibismuthene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
Diboran(4)
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Diboration
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
β-dicarbonyl compounds
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308
Dichalcogena dication
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
1,3-Dichlorotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
Diels–Alder reaction
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
Difluoromethylene compound
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Dihydroselenophene
The reaction of 1,2,3-selenadiazole with olefins, 488
Dihydro-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
1,3-Dihydrotrisilanes
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
Dimethyldioxirane
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
Dinuclear complex
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370
Diselenide complex
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), 386
1,4-Disilabenzenes
An ab initio study on the structure and reactivity of 1,4-disilabenzene, 280
Disilane
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, 531
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Disilirane
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
Disilyne
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
Distibene
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
Disulfide
Unsaturated cyclic compounds possessing disulfide linkage, 106
1,2-Dithiete
Unsaturated cyclic compounds possessing disulfide linkage, 106
Dithiirane oxide
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127

Dithiocarboxylates
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates [(RCSS)$_x$MPh$_{4-x}$, M = Ge, Sn, Pb; $x = 1-3$]: affinity between thiocarbonyl sulfur and Group 14 elements, 190
Dithiolate complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_6H_4S_6)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
Dithiolene
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370
σ-Donation
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
Dopant
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Double bond
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Double-site inversion
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), 386
Doubly bonded systems
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217

Electrical conductivity
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_6H_4S_6)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
Electrochemical oxidation
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
Electrochemistry
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)oligothienylenes], 537
Electron distribution
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
Electronic structure
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
Electron transfer
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
Electroreductive polymerization
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
Energy transfer
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
ESR spectrum
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577

Ethylene-bridged
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
Ethylene complexes
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299

Fluoresence spectum
New type of polysilanes: poly(1,1-silole)s, 5
Fluoro-functionalization
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Fluoro-selenenylation
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Fluxional behavior
Structure and fluxional behavior of platinum and palladium complexes having M–Si or M–Sn (M = Pt or Pd) inter-element linkages, 343
Fullerene
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78

Gas-phase reaction
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
1,2-Germacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Germanium
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
Germanium compound
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Germanium tetrafluoride
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, 531
Germole dianion
Stable aromatic compounds containing heavier Group 14 elements, 228
Glutathione
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
Glutathione s-transferase
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
Gold cluster
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
Grignard reagent
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Group 16 inter-element linkage
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463

Halogen adducts
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
Heavier Group 15 elements
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217

Heavier Group 14 elements
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
Hetero Diels–Alder reaction
Unsaturated cyclic compounds possessing disulfide linkage, 106
Heterostructure
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
Hexacoordinate
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
High-pressure synthesis
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
Homo-Brook rearrangement
Small ring compounds containing highly coordinate Group 14 elements, 256
Hydrido complexes
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308
Hydrogermylation
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Hydroselenide complex
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), 386
Hydrosilane
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
Hyperconjugation
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Hypervalency
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Hypervalent
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
Hypervalent element
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Hypervalent interaction
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
Hypervalent iodine compound
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509

Iminosilazirconacyclohexene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Iminotriaryl-λ^5-bismuthanes
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
Insertion
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
Inter band level
Optical properties of pyrrolyl-substituted polysilanes, 64
Inter-element linkage
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Protecting groups for stabilization of inter-element linkages, 210
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Intermolecular crystalline-state reaction
New aspects in the chemistry of low-coordinated inter-element compounds of heavier Group 15 elements, 217
Intermolecular interaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
Intramolecular coordination
Protecting groups for stabilization of inter-element linkages, 210
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Intramolecular interaction
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}$, M = Ge, Sn, Pb; $x = 1–3]$: affinity between thiocarbonyl sulfur and Group 14 elements, 190
Inversion
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Iron complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
Synthesis and superoxide dismutase activity of novel iron complexes, 586
Isocyanide
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Isomerization
Stable cyclic and acyclic persilyldisilenes, 236

Kinetic study
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332

Ladder oligogermane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Ladder oligosilane
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Layer-by-layer growth
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
Lewis acids
Synthesis of optically active phenylglycine derivatives from *Sr*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Ligand coupling
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Line-shape analysis
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), 386
Low coordination
Protecting groups for stabilization of inter-element linkages, 210

Low-valent lanthanoid
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509

Magnesium electrode
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
Masked disilene
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
Metal carbonyl complex
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
Metal-catalyzed reaction
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Metathesis
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Migration
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
Migratory insertion
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Molecular orientation
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
Molecular structures
Molecular structure and packing of organopolysilanes, 36
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Molecular wire
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
Molybdenum
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308
Molybdenum–silicon bonds
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308
Mössbauer spectroscopy
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558

N-Confused porphyrin
Synthesis and characterization of N-confused porphyrinatoantimony(V): toward a low energy gap molecular wire, 551
Nitride semiconductor
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
Nitridosulfur(VI)
The structures of $[Ph_2XS{-}N{-}SPh_2NH]^+$ cations (X=NH, O), 272
Non-bonded interactions
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
N-(phenyliodonio)-*p*-toluenesulfonamidate
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
[*N*-(Tosyl)imino]phenyliodinane
Asymmetric imidation of organic selenides into selenimides, 475

Olefin formation
Small ring compounds containing highly coordinate Group 14 elements, 256
Olefins
The reaction of 1,2,3-selenadiazole with olefins, 488
Oligo-ethyleneoxy linkage
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
Oligosilane
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Oligothiophene
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], 537
Optically active silyllithium
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Optically pure bismuthane
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
OR^- abstraction
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Organic–inorganic hybrid film
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
Organic polysilane
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
Organic selenides
Asymmetric imidation of organic selenides into selenimides, 475
Organic selenimides
Asymmetric imidation of organic selenides into selenimides, 475
Organoboron compound
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)-diborons, 392
Organogermane
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Organometallic polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Organophosphorus compounds
Protecting groups for stabilization of inter-element linkages, 210
Organopolysilane
Molecular structure and packing of organopolysilanes, 36
Organosilane
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
Organosilicon polymer
Effects of the ethoxy and diethylamino substituent on the electrochemical and conducting properties of poly[(silanylene)-oligothienylenes], 537

Origosilane
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
Oxazoles
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
Oxidation
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
Oxomolybdenum complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364
Oxovanadium complexes
Preparation and properties of oxometallate complexes with sulfur-rich dithiolate ligands, $[M(O)(C_8H_4S_8)_2]^{2-}$ (M = V(IV) and Mo(IV)) salts, and high electrical conductivity of their oxidized species, 364

Packing
Molecular structure and packing of organopolysilanes, 36
Packing force
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
Palladium
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Palladium and compounds
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
Palladium catalyst
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Parasitic reactions
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
Pentacoordinate 1,2-oxagermetanide
Small ring compounds containing highly coordinate Group 14 elements, 256
Pentacoordinate 1,2-oxasiletanide
Small ring compounds containing highly coordinate Group 14 elements, 256
Pentacoordinate 1,2-oxastannetanide
Small ring compounds containing highly coordinate Group 14 elements, 256
Peptides
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Peterson-type reactions
Small ring compounds containing highly coordinate Group 14 elements, 256
Phenylglycine
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
9-Phenyl-9-silaanthracene
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
$[PH_2NHS–N–SPH_2NH]^+$ cation
The structures of $[Ph_2XS–N–SPh_2NH]^+$ cations (X=NH, O), 272
$[PH_2OS–N–SPH_2NH]^+$ cation
The structures of $[Ph_2XS–N–SPh_2NH]^+$ cations (X=NH, O), 272
Phosphorus
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
Photoinduced effect
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
Photoinduced electron transfer
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
Photoluminescence
Optical properties of pyrrolyl-substituted polysilanes, 64
Photolysis
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
Photophysical process
Photophysical and photochemical processes of 9,10-dihydro-9-silaanthracenes: photochemical generation and electronic structure of 9-phenyl-9-silaanthracene, 71
Platinum
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
Platinum catalyst
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Polarization memory
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
Polar polysilanes
Thermochromism and solvatochromism of non-ionic polar polysilanes, 45
Poly(dihexylsilane)
Molecular structure and packing of organopolysilanes, 36
Poly(dimethylsilane)
Molecular structure and packing of organopolysilanes, 36
Poly(*iso*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, 36
Polymer reaction
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Poly(methylethylsilane)
Molecular structure and packing of organopolysilanes, 36
Poly(*n*-butylethylsilane)
Molecular structure and packing of organopolysilanes, 36
Poly(*n*-propylmethylsilane)
Molecular structure and packing of organopolysilanes, 36
Polysilanes
Alkoxide initiation of anionic polymerization of masked disilenes to polysilanes, 32
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
New type of polysilanes: poly(1,1-silole)s, 5
Optical properties of pyrrolyl-substituted polysilanes, 64

Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Polysilicon
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, 531
Polysilole
New type of polysilanes: poly(1,1-silole)s, 5
Porphyrin
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
Potentiometric titration
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
Protecting group
Protecting groups for stabilization of inter-element linkages, 210
Pulse radiolysis
Optical properties of pyrrolyl-substituted polysilanes, 64
Pummerer-type reaction
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Pyrrolyl
Optical properties of pyrrolyl-substituted polysilanes, 64

Quantum chemical calculation
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
Quinquidentate ligands
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308

Radical ion pair
C_{60}-sensitized bis-silylation of nitrile and carbonyl compounds with disilirane, 414
Radical ions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
Reactive polymer
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Redox
Photochemical bis-silylation of C_{60}: synthesis of a novel C_{60} main chain polysilane, 78
Redox reactions
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
Reduction
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509
Reductive elimination
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
Regio- and stereoselective addition
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Regional density functional theory
Quantum chemical study of parasitic reaction in III–V nitride semiconductor crystal growth, 514
Regioselection
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Remote reaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
Rhodium
Chemistry of Group 13 element-transition metal linkage — the platinum- and palladium-catalyzed reactions of (alkoxo)diborons, 392
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
Rh–Rh bond
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5$-C_5Me_5), 386
Ring conversion reaction
Unsaturated cyclic compounds possessing disulfide linkage, 106
Ring opening
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
Ring-opening reactions
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52
Rotational barrier
The chemistry of transition metal complexes containing a phosphenium ligand, 349
Ruffling
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200

S_3
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
1,2,3-Selenadiazole
The reaction of 1,2,3-selenadiazole with olefins, 488
Selenide
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, 547
Selenium heterocycles
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
Selenol
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Self-assembled monolayer
Self-assembled monolayers with oligo-ethyleneoxy linkages on flat and curved gold surfaces, 566
Silabenzene
Stable aromatic compounds containing heavier Group 14 elements, 228
Silaboration
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
1,2-Silacyclobutene
A 3,4-benzo-1,2-germacyclobut-3-ene and related compounds. Palladium-catalyzed σ-metathesis, dehydrogenative coupling and hydrogermylation of the Ge–Ge σ-bond, 420
Sila-Dewar benzene
Stable aromatic compounds containing heavier Group 14 elements, 228

Silanaphthalene
Stable aromatic compounds containing heavier Group 14 elements, 228
Silane–germane copolymers
Electroreductive synthesis of oligosilanes and polysilanes with ordered sequences, 26
Silaprismane
Stable aromatic compounds containing heavier Group 14 elements, 228
Silazirconacyclopentene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Silene
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, 248
Silicon
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, 547
Silicon clathrate
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
Silicon–silicon bonds
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
Silole
New type of polysilanes: poly(1,1-silole)s, 5
Silole dianion
Stable aromatic compounds containing heavier Group 14 elements, 228
Silyl
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
Silyl acetylene
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, 248
Silylborane
Palladium-catalyzed regioselective silaboration of 1,2-dienes, 403
Silyl complexes
Structure and chemical properties of mononuclear and dinuclear silylrhodium complexes. Activation of the Si–C bond and formation of Si–Cl and Si–SR bonds promoted by Rh complexes, 323
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
Silylene complex
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314
Silyl ligand
Reactions of a novel quadruply chelated molybdenum–silyl complex with β-dicarbonyl compounds, 308
Silylstannane
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Silyl thioketone
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
Single electron transfer
Fluoro-functionalization mediated by the reactive chalcogen reagents, 158
Single-point ab initio calculation
The structures of $[Ph_2XS–N–SPh_2NH]^+$ cations (X=NH, O), 272
^{29}Si-NMR
Stable cyclic and acyclic persilyldisilenes, 236
4*S*-Isopropyl-1,3-thiazolidine-2-thione
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Si-sp^3 network
High-pressure synthesis and structure of a new silicon clathrate $Ba_{24}Si_{100}$, 543
Site-directed mutagenesis
Effects of Cys10 mutation to Ala in glutathione transferase from *Escherichia coli*, 593
S_NAr reaction
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
S_2O
Oxidation of tetrathiolanes: isolation of a *cis*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
Sol–gel method
Optical properties of organic–inorganic hybrid thin films containing polysilane segments prepared from polysilane–methacrylate copolymers, 40
Solvatochromism
Reaction of organocobalt polymers with isocyanide. Synthesis of novel poly[(η^5-cyclopentadienyl)(η^5-amino-cyclopentadienyl)cobalticinium-diyl-*alt*-biphenyl-4,4′-diyl)]s, 570
Thermochromism and solvatochromism of non-ionic polar polysilanes, 45
Stereospecificity
Stereospecific formation of optically active trialkylsilyllithiums and their configurational stability, 20
Steric protection
Protecting groups for stabilization of inter-element linkages, 210
Syntheses and structures of novel *m*-xylylene-bridged calix[6]-arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
Stibine complex
^{121}Sb, ^{57}Fe and ^{127}I Mössbauer spectroscopic study on antimony-transition metal bond in metal carbonyl derivatives of tertiary stibines, 558
Structural correlation
Structural characteristics of areneselenenyl bromide and areneselenenyl chloride stabilized by hypervalent coordination with a halide anion in the solid state, 164
Structural relaxation
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
Substituent effects
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
Substitution
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Substitution at the chiral bismuth center of optically pure diastereomeric iodobismuthanes bearing an intramolecular Bi–N coordination bond. Inversion of the configuration by aryl-Grignard reagents, 100
Sulfenic acids
Syntheses and structures of novel *m*-xylylene-bridged calix[6]-arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
Sulfenium cation
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
Sulfide
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455

Sulfinimines
Synthesis of optically active phenylglycine derivatives from *Ss*-(+)-*N*-(benzylidene)-*p*-toluenesulfinamide by using Lewis acids and *tert*-amines, 445
Sulfonyl azide
Formation and reaction of three-membered cobaltathiaziridine ring in (η^5-cyclopentadienyl)(substituted imido-κ*N*-thio-κ*S*-ethene-2-thiolato-κ*S*)cobalt(III). Ring opening and closure and transfer of imido group, 376
Sulfoxide
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Sulfur heterocycles
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
Sulfur–phosphorus bond
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
Sulfur–silicon bond
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
Superoxide
Synthesis and superoxide dismutase activity of novel iron complexes, 586
Superoxide dismutase
Synthesis and superoxide dismutase activity of novel iron complexes, 586
Synthesis
Syntheses, structures, and properties of ladder oligosilanes and ladder oligogermanes, 52

TB, MC
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
Tetranuclear complex
Formation of μ_4-Se_2 complex by the oxidative coupling of μ-SeH complex: double-site atomic inversion of the μ_4-Se_2 complex $[\{(Cp^*Rh)_2(\mu\text{-}CH_2)_2\}_2(\mu_4\text{-}Se_2)]^{2+}$ ($Cp^* = \eta^5\text{-}C_5Me_5$), 386
Tetrasilyldisilene
Stable cyclic and acyclic persilyldisilenes, 236
1,2,5,6-Tetrathiocin
Unsaturated cyclic compounds possessing disulfide linkage, 106
Tetrathiolane
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
Tetrathiotungstate
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370
Theoretical calculations
Synthesis and structures of polysilacage compounds containing a silicon–silicon inter-element linkage, 12
Theoretical study
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
Thermal CVD
Low-temperature growth of polycrystalline Si and Ge films by redox reactions of Si_2H_6 and GeF_4, 531
Thermochromism
Thermochromism and solvatochromism of non-ionic polar polysilanes, 45
Thermolysis
Silicon–carbon unsaturated compounds. 62. Reactions of silenes produced thermally from pivaloyl- and adamantoyltris(trimethylsilyl)silane with mono(silyl)acetylenes, 248
The reaction of 1,2,3-selenadiazole with olefins, 488
Thia–Brook rearrangement
Reaction of silyl thioketones with lithium diethylphosphite: first observation of Thia–Brook rearrangement, 449
1,3-Thiazolidine-2-thione
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Thiol
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Tin
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299
Tin and compounds
Palladium-catalyzed carbostannylation by means of reagents containing carbon–tin–halogen inter-element linkages, 433
Titanium tetrachloride
Chalcogenide-$TiCl_4$-mediated reactions of *S*-ethyl thioacrylate with aldehydes, 455
Transannular interaction
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
σ–σ* Transition
Energy transfer in highly oriented permethyl-dodecasilane and -octadecasilane films, 85
Transition metal–boryl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Transition metal catalyst
Activation and reactivity of Group 16 inter-element linkage — transition-metal-catalyzed reactions of thiols and selenols, 463
Transition metal–germyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Transition metal–silyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Transition metal–stannyl bond
Bonding nature and reaction behavior of inter-element linkages with transition metal complexes. A theoretical study, 288
Trichalcogena hypervalent dication
Transannular and intermolecular interactions between chalcogen atoms: syntheses and properties of dichalcogena dications and trichalcogena hypervalent dications, 116
Triple bonds
Triple bonds between heavier Group 14 elements. A theoretical approach, 264
Tungsten
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370
Tunnel structure
Preparation and crystal structure of chromium silicon selenide containing a B_{12} icosahedron with a tunnel structure, 547

Unsaturated cyclic compound
Unsaturated cyclic compounds possessing disulfide linkage, 106
UV spectrum
New type of polysilanes: poly(1,1-silole)s, 5
UV–vis spectra
Stable cyclic and acyclic persilyldisilenes, 236

vic-Disulfoxide
Oxidation of tetrathiolanes: isolation of a *vic*-disulfoxide, 5-(1-adamantyl)-5-*tert*-butyltetrathiolane 2,3-dioxide and its decomposition to the dithiirane 1-oxide and 'S_2O', 127
Vidicon
High electric field photocurrent of Vidicon and diode devices using wide band gap a-Si:H prepared with intentional control of silicon network by chemical annealing, 525
Vinyl cation
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Vinyliodane
Nucleophilic vinylic substitutions of λ^3-vinyliodanes, 494
Voltammetry
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136

Wurtz-type coupling reaction
New type of polysilanes: poly(1,1-silole)s, 5

X-ray analysis
Syntheses and structures of novel *m*-xylylene-bridged calix[6]arenes: stabilization of a sulfenic acid in the cavity of calix[6]arene, 146
The chemistry of Group 15 element porphyrins bearing element–carbon bonds: synthesis and properties, 200
X-ray crystallographic analysis
Desulfurilative self-coupling reaction of 1,3-thiazolidine-2-thiones and intramolecular non-bonded S···S interaction in the crystallographic structure of the products, 172
Inter-element linkage in 1,2- and 1,4-bis(arylselanyl)benzenes with halogens, 178
Small ring compounds containing highly coordinate Group 14 elements, 256
Stabilized bismuthonium ylides bearing a highly cross-conjugated ylidic carbon atom: synthesis, structures, and reactions, 89
The structures of $[Ph_2XS–N–SPh_2NH]^+$ cations (X=NH, O), 272
X-ray crystallography
Synthesis, structure of copper(II) complexes of S-containing pentadentate ligands, 577
X-ray crystal structures
Synthesis, structure, and one-electron redox reactions of 4,7-disubstituted benzotrichalcogenoles containing sulfur and/or selenium atoms, 136
X-ray diffraction
Molecular structure and packing of organopolysilanes, 36
X-ray structural analysis
Structural analysis of phenyl-germanium, -tin, and -lead dithiocarboxylates $[(RCSS)_xMPh_{4-x}$, M = Ge, Sn, Pb; $x = 1–3]$: affinity between thiocarbonyl sulfur and Group 14 elements, 190
X-ray structures
Stable cyclic and acyclic persilyldisilenes, 236
Synthesis, structure, and properties of sulfido-bridged dinuclear tungsten(V) complex of dithiolene, $(Pr_4N)_2[W_2(\mu\text{-}S)_2\{S_2C_2(CO_2Et)_2\}_4]$, 370
The chemistry of organo(silyl)platinum(II) complexes relevant to catalysis, 332
X-ray structure analysis
Synthesis and structures of bis(silylene)iron complexes containing new six-membered chelate rings, 314

Ytterbium
Reactions of diaryliodonium trifluoromethanesulfonates with low-valent ytterbium and samarium reagents, 509

Zirconium–silene complex
Reaction of silazirconacyclopentene formed from zirconium–silene complex and alkyne with isocyanide, 304
Zirconocene
Preparation of ethylene-bridged Group 14 metal–zirconocene complexes, 299